

QUALITY BUILDS YD,  
SINCERITY NEVER CHANGES

Since 1984

**YD<sup>®</sup> ILLUMINATION**

**Hangzhou YD Illumination Co., Ltd**

YD focuses on the research and development of urban lighting solutions and smart lighting products. YD does not undertake engineering projects, but provides customers with lighting products, in-depth design and technical services. The real-life engineering cases shown in this booklet all use lighting products produced by YD.


No.587,Kangxin Road,LinPing District, Hangzhou,Zhejiang,China  
Tel: +86 195 5814 8072 / +86-571-88058030 / +86-571-86229579  
E-mail: ydexport@ydlighting.com

2026 1st edition

**YD<sup>®</sup> ILLUMINATION**

# Flexible LED Strip Light

| Protection Grade IP68 | | Flame Retardant Grade V-0 | | Anti-UV |  
| Salt Spray | | Anti-High and Low Temperature | | Impact Resistance IK10 |



YouTube  
@YD ILLUMINATION



Website  
ydlighting.com

# YD ENTERPRISE INTRODUCTION



Scan and download  
"Product Catalog"



Scan to enter the  
official website of YD

YD was established in 1984 and is located in the national economic development zone - Hangzhou Linping Economic Development Zone. It has a 60,000m<sup>2</sup> production base. It is a service-oriented manufacturing enterprise integrating R&D, production and sales, and a high-tech enterprise in the national key field.

The company has three great technical advantages.

1. Double Protection LED waterproof technology with completely independent intellectual property patents to ensure product quality and life.
2. Independently developed a city-level management cloud platform and intelligent interactive control system with global advanced technology to achieve digital transformation.
3. Breakthroughs in 3D printing materials, equipment and technology have realized the industrial application and personalized manufacturing of 3D printing.

YD focuses on providing solutions for urban landscape lighting and cultural tourism lighting, leading the R&D and manufacturing of intelligent lighting technology and products. It is a pioneer in outdoor landscape lighting technology and a global leader in landscape lighting. YD products have illuminated the world and have been used in more than 30,000 projects in more than 80 countries including China, United States, France, Russia, the United Kingdom, Australia, the United Arab Emirates and Saudi Arabia.









YD is committed to combining lighting products with modern technology, promoting the development of green products in the direction of low carbonization, intelligence, and digitalization, and continuously expanding the application of urban landscape lighting and cultural tourism lighting in the international market. It has become a well-known global outdoor lighting brand.



● YD Illumination completed more than  
30,000 projects in over 80 Countries.

# CONTENTS

## Double Protection FLEXIBLE LED STRIP LIGHT SERIES

	Double Protection Flexible LED Strip Light Features .....	01-02		Double Protection COB Uniform Flexible LED Strip Light .....	09-10
	Double Protection Milky Soft LED Strip Light .....	03-04		Double Protection High Brightness Flexible LED Strip Light .....	11-14
	Double Protection Three-Sided Uniform Flexible LED Strip Light .....	05-06		Double Protection Flexible LED Strip Light with Lens .....	15-16
	Double Protection Flat Uniform Flexible LED Strip Light .....	07-08		Application of Flexible LED Strip Light .....	17-36
				More Product Series .....	37-44

DOUBLE PROTECTION

## Flexible LED Strip Light

Suitable for indoor, outdoor, underground, and underwater(seawater) a long time usage.



- ◎ Uniform lighting effect, Folding resistance, Anti-glare
- ◎ High mechanical strength, Can be shaped arbitrarily
- ◎ No dark area after splicing
- ◎ Support dimmable

## Flexible LED Strip Light Features

Utilizes fully independent intellectual property rights with modified Macromolecule Alloy material and double Protection Technology.

### Protection Grade IP68

| Suitable for outdoor a long time usage |



### Flame Retardant Grade V-0

| Self-extinguishing, safe and reliable |



### Anti UV

| Lifespan 50000 hours |



### Salt Spray

| Long time use in rivers and seas |



### Anti-High and Low Temperature

| Can be used in extreme weather conditions |



### Impact Resistance IK10

| High mechanical strength |





[ Double Protection Flexible LED Strip Light ]

## Milky Soft LED Strip Light



Uniform lighting effect Folding resistance  
Close View Lighting



### Main Performance

Uniform light, Soft and Silky  
Ultra-thin and Ultra-narrow, Efficient Heat Dissipation

### Application

Can be used in building facade, landscape, bridge, sculpture, outdoor signs and other public places of landscape lighting; swimming pools, water features, underground and other high waterproof requirements of the landscape lighting; also applies to home, villa, luxury hotels, commercial complexes, exhibition halls and other indoor environment of the decorative lighting.



## YD-RT14W (YB) YD-RT18W (YB1)


Double Protection Milky Soft LED Strip Light




### Features

Protection Grade:	IP68	Neutral Salt Spray:	48H
Flame Retardant Grade:	V-0	Anti-High And Low Temperature:	-40°C~+55°C -40°F~+131°F
UV Grade:	Surface shows no apparent changes (GB/T 16422.3-2014)	Average Lifespan:	50000 Hours
IK Grade:	IK10	Product Certification :	CE, FCC, BIS

### Luminosity Distribution



### Installation Method



### YD-RT14W (YB)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Control Method	Beam Angle
		DC24V	10W/m	W	3000K	ON/OFF	110°
		DC24V	12W/m	W	3000K	ON/OFF	110°

### YD-RT18W (YB1)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC24V	10W/m	W	3000K	8	SPI	110°
		DC24V	10W/m	RGB	/	8	SPI	110°

[ Double Protection Flexible LED Strip Light ]

## Three-Sided Uniform Flexible LED Strip Light



The light is uniform and soft, It can be long-term used near people

### Main Performance


Three-sided lighting design, Uniform light and anti-glare  
The lamp body is flexible and can be shaped arbitrarily.



Flat-Cut Illuminated Tip



No Dark Area in Splicing



### Application

It can be widely used in various fields such as urban landscape lighting, cultural and tourism lighting, garden greening lighting, ship lighting, interior decoration lighting, festival lighting, etc.



Landscape Enhancement Around the Olympic Sports Complex

## YD-RT13W (YB1)


Double Protection Three-Sided Uniform Flexible LED Strip Light



### Features


Protection Grade:	IP68	Neutral Salt Spray:	48H
Flame Retardant Grade:	V-0	Anti-High And Low Temperature:	-40°C~+55°C -40°F~+131°F
UV Grade:	Surface shows no apparent changes (GB/T 16422.3-2014)	Average Lifespan:	50000 Hours
IK Grade:	IK10	Product Certification :	CE- FCC- BIS

### Luminosity Distribution



V 0.0°Plane, 112.5°  
H 0.0°Plane, 148.4°

### Installation Method



## YD-RT13W (YB1)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC24V	10W/m	W	3000K	/	ON/OFF	110°
		DC24V	12W/m	W	3000K	/	ON/OFF	110°
		DC24V	14W/m	RGB	/	10	SPI	110°

[ Double Protection Flexible LED Strip Light ]


## Flat Uniform Flexible LED Strip Light



The light is even and soft, without any visible particles, and the direct light source is not dazzling even when viewed up close.



Flat-Cut Illuminated Tip



Seamless Splicing



### ● Main Performance

Integrated molding technology is used to prevent water vapor intrusion.

### ● Application

Indoor, outdoor near-person ends, as well as long-term use in hot springs, rivers, seas, and underground.



Keqiao Economic Development Zone Comprehensive Environment-Shaoxing

## YD-RT13W (YB) YD-RT18W (YB) YD-RT18W (YB2)


Double Protection Flat Uniform Flexible LED Strip Light




### Features

Protection Grade:	IP68	Neutral Salt Spray:	48H
Flame Retardant Grade:	V-0	Anti-High And Low Temperature:	-40°C~+55°C -40°F~+131°F
UV Grade:	Surface shows no apparent changes (GB/T 16422.3-2014)	Average Lifespan:	50000 Hours
IK Grade:	IK10	Product Certification :	CE、FCC、BIS

### Luminosity Distribution



### Installation Method



### YD-RT13W (YB)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC24V	10W/m	W	3000K	/	ON/OFF	110°
		DC24V	12W/m	W	3000K	/	ON/OFF	110°
		DC24V	14W/m	RGB	/	10	SPI	110°

### YD-RT18W (YB)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC24V	15W/m	RGB+W	4000K	8	DMX512	110°

### YD-RT18W (YB2)

Product Photo	Size (mm)	Voltage	Power	LED Color	Pixel/m	Control Method	Beam Angle
		DC24V	12W/m	RGB	8	DMX512	110°

[ Double Protection Flexible LED Strip Light ]

## COB Uniform Flexible LED Strip Light



Uniform light emitting without glare, high brightness, 180° light emitting



### Main Performance

Supports wide range of brightness adjustment, can replace linear lights, wall washers and indoor main lighting. The lamp body is flexible and can be bent and shaped at will, making it easy to install. It can achieve stepless dimming, full color change and other effects.


### Application

It is suitable for long-term use in various harsh environments such as indoor, outdoor, underground, and underwater (seawater) in buildings, hotels, riverbanks, and park scenic spots.



## YD-RT16W (YB)


Double Protection COB Uniform Flexible LED Strip Light




### Features

Protection Grade:	IP68	Neutral Salt Spray:	48H
Flame Retardant Grade:	V-0	Anti-High And Low Temperature:	-40°C~+55°C -40°F~+131°F
UV Grade:	Surface shows no apparent changes (GB/T 16422.3-2014)	Average Lifespan:	50000 Hours
IK Grade:	IK10	Product Certification :	CE、FCC、BIS

### Luminosity Distribution



### Installation Method



## YD-RT16W (YB)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Control Method	Beam Angle
		DC24V	10W/m	W	3000K	ON/OFF	110°
		DC24V	12W/m	W	3000K	ON/OFF	110°

[ Double Protection Flexible LED Strip Light ]

# High Brightness Flexible LED Strip Light



High light efficiency and wide illumination range



## Main Performance

Easily bend and shape to adapt to various complex installation environments and shape requirements. It can be used in conjunction with various sensors and terminal devices such as mobile phones and computers to achieve different effects of human-light interaction.

## Application

It is mainly used for lighting of buildings, parks and scenic spots, and media screens. It can also be used to outline the contours of large buildings, bridges and overpasses at a distance.



Future Science and Technology City (Phase II)

# YD-RT18W (YA)


Double Protection High Brightness Flexible LED Strip Light



## Features

Protection Grade:	IP68	Neutral Salt Spray:	48H
Flame Retardant Grade:	V-0	Anti-High And Low Temperature:	-40°C~+55°C -40°F~+131°F
UV Grade:	Surface shows no apparent changes (GB/T 16422.3-2014)	Average Lifespan:	50000 Hours
IK Grade:	IK10	Product Certification :	CE, FCC, BIS

## Luminosity Distribution




## Installation Method




# YD-RT18W (YA)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
	150 5040 150	DC24V	12W/m	RGB	/	8	SPI	110°
	150 1040 150	DC24V	15W/m	RGB+W	4000K	8	DMX512	110°
	150 1040 150	DC24V	12W/m	RGB	/	8	DMX512	110°

## YD-RT16W (YA1)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC24V	12W/m	W	3000K	/	ON/OFF	110°
		DC24V	10W/m	W	3000K	/	ON/OFF	110°
		DC24V	7W/m	W	3000K	/	ON/OFF	110°
		DC48V	12W/m	W	3000K	/	ON/OFF	110°
		DC48V	10W/m	W	3000K	/	ON/OFF	110°
		DC48V	7W/m	W	3000K	/	ON/OFF	110°
		DC48V	5W/m	W	3000K	/	ON/OFF	110°
		DC24V	12W/m	W	3000K	8	SPI	110°
		DC24V	10W/m	W	3000K	6	SPI	110°
		DC24V	7.5W/m	W	3000K	8	SPI	110°
		DC24V	12W/m	W+W	3000K+6500K	8	SPI	110°
		DC24V	7.5W/m	W+W	3000K+6500K	8	SPI	110°

## YD-RT18W (YA1)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC12V	7.5W/m	RGB	/	60	SPI	110°
		DC12V	7W/m	RGB	/	10	SPI	110°
		DC24V	14W/m	RGB	/	10	SPI	110°
		DC24V	12W/m	RGB	/	8	SPI	110°
		DC24V	9W/m	RGB	/	6	SPI	110°
		DC24V	7W/m	RGB	/	5	SPI	110°
		DC24V	12W/m	RGB	/	8	DMX512	110°
		DC24V	9W/m	RGB	/	6	DMX512	110°
		DC24V	15W/m	RGB+W	4000K	8	SPI	110°
		DC24V	12W/m	RGB+W	4000K	6	SPI	110°
		DC24V	15W/m	RGB+W	4000K	8	DMX512	110°
		DC24V	12W/m	RGB+W	4000K	6	DMX512	110°

[ Double Protection Flexible LED Strip Light ]

## Flexible LED Strip Light with Lens



Built-in professional lens, high brightness, long projection distance

### Main Performance

The lamp body is flexible and can be shaped arbitrarily  
Support access to various interactive control systems



### Application

Can be used for a long time in various harsh environments such as indoor, outdoor, underground, and underwater (seawater), such as buildings, hotels, riverbanks, and park scenic spots.

East Lake Park in Lushan

## YD-RT18W (YA2)


Double Protection Flexible LED Strip Light with Lens



### Features

Protection Grade:	IP68	Neutral Salt Spray:	48H
Flame Retardant Grade:	V-0	Anti-High And Low Temperature:	-40°C~+55°C -40°F~+131°F
UV Grade:	Surface shows no apparent changes (GB/T 16422.3-2014)	Average Lifespan:	50000 Hours
IK Grade:	IK10	Product Certification :	CE, FCC, BIS

### Luminosity Distribution



45°

### Installation Method




## YD-RT18W (YA2)

Product Photo	Size (mm)	Voltage	Power	LED Color	CCT	Pixel/m	Control Method	Beam Angle
		DC24V	7W/m	W	3000K	/	ON/OFF	45°
		DC24V	14W/m	RGB	/	10	SPI	45°

# APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

## Media Screen Application



Judao Center in Changshu, Jiangsu



Zhejiang Huanlian Grand Hotel



Hangzhou Xixi Incity Plaza



Cainiao Global Headquarters Building



Future Science and Technology City (Phase II)

## APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

### Architecture Wall Washing Application



Milan Outlets Town in Dongying



Hangzhou Hubin International Shopping Street



Keqiao Development Zone, Shaoxing



Staircase on Shuguang Road, Hangzhou



Zhejiang Zhoushan Haizhou Tiandi · Chashan Pashui Street

## APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

### Architecture Line Application



Zhongnan River Yunjing Center



Global Center, Zhejiang



Pingdong Minsheng Road Multi-level Parking Lot, Taiwan



Hengxin Wyndham Hotel, Shandong



Zhongjia Dexi Shangzuo, Hangzhou

## APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

### Underwater and Underground Application



Night Cruise on Wenxiang Lake in Taishun




Nighttime Water Show on Wenxiang Lake in Taishun



Swimming Pool in Hotel, Indonesia




"a lot of fish" Interactive Underwater Installation, Fuzhou



Fuding Rubber Dam Landscape Enhancement Project, Fujian



Asian Games Flower Theme Park Lighting, Hangzhou



Yantai Egret Plaza Underground Light Sculpture, Shandong

## APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

### Cultural Tourism Park Application



Yuhu Park, Liangzhu, Hangzhou



Asian Games Flower Theme Park, Lighting, Hangzhou



Nanhu Citizen Square, Jiaxing



Keqiao Development Zone, Shaoxing



Fenghuang Mountain Beilun Central Park, Ningbo

## APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

### Sculpture and Lighting Sketch Application



Mutiara Arteri Light Sculpture, Indonesia



Qiandao Lake International Optic Artistry



"Pure Ring" Interactive Light Art (Gold Award), Shenzhen



Immersive Light and Shadow Night Tour in Shilijiangnan, Anshun, Guizhou



Changshu Interactive Ripple Installation



The "Water Drop Light Sculpture" at the Sydney Festival of Lights. 《Lumina Dream》



## APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]


### Tunnel and Corridor Application



Ningbo Xiangshan Tunnel



Lanxi Underground Changhe Scenic Area Slide



Rainbow Bridge of the Nineteen Peaks in Xinchang, Shaoxing



Ice and Snow World Tunnel



Fog Forest Bridge of the Nineteen Peaks in Xinchang, Shaoxing


# APPLICATION OF FLEXIBLE LED STRIP LIGHT

[ Double Protection Flexible LED Strip Light ]

## Indoor Lighting Application



Hangzhou Challenger Billiards Club



Portugal Summit Conference Forum



Liping Brand Pavilion



Indoor Ceiling ,Jakarta Indonesia



Changsha Beichen Joy City-Hunan



## More Project Cases



Hangzhou Xinhai Semiconductor Technology Co., LTD



Footbridge, Abu Dhabi, UAE



The Palace, Doha, Qatar



Oromia President Office, Ethiopia



Yellow River Grand Canyon Tourism Lighting, Inner Mongolia



Pingyang Shanmen Town project, Wenzhou

# MORE PRODUCT SERIES

All Products Can Be Customized



Scan and download "Product Catalog"



Scan to enter the official website of YD

## LED Point Lights

Control Method: ON/OFF、SPI、DMX512、RDM

LED Color: Single Color、Double Color、RGB、RGBW



φ16

φ240

Irregular-Shaped

Decorative

High Power

## LED Linear Lights

Control Method: ON/OFF、SPI、DMX512、RDM

LED Color: Single Color、Double Color、RGB、RGBW



Ultra-Narrow

Ultra-Thin

Super Bright

Uniform

Light Guide

Ultra-long Distance

## Flexible LED Strip Lights

Control Method: ON/OFF、SPI、DMX512

LED Color: Single Color、Double Color、RGB、RGBW



Uniform Soft

Curved Uniform

Lens

Three-Sided Uniform

Flat Uniform Flexible


COB Uniform

High Brightness

360° Bendable

## LED Display Screen (pixel transparent screen)

Control Method: SPI Size can be customized



LED Pixel Mesh Screen  
Light transmittance > 60%

LED Linear Screen  
Light transmittance 30%-70%

Flexible LED Strip Screen  
Light transmittance 30%-70%

## LED Display Screen (high resolution screen)

Size can be customized




Outdoor LED Display Screen  
(high resolution screen)

Indoor LED Display Screen  
(high resolution screen)

## LED Wall Washer Lights

Control Method: ON/OFF、SPI、DMX512、RDM

LED Color: Single Color、Double Color、RGB、RGBW



Wall Washer Lights  
With Cable Trunking

Crystal LED Wall  
Washer Lights



High Power LED Wall  
Washer Lights

Flexible LED Wall  
Washer Lights

## LED String Lights

Control Method: ON/OFF、SPI、DMX512、RDM

LED Color: Single Color、Double Color、RGB、RGBW



Static Single Color  
LED String

LED String with RGB  
Dynamic Color Changing  
Effect

RGB LED String  
Lights

Single Pixel Controllable  
LED String Lights

Single Pixel (Desirable Quantity)  
LED String Lights

### LED Floodlights

Control Method: ON/OFF, SPI, DMX512, RDM

LED Color: Single Color, Double Color, RGB, RGBW



LED Chain Lights

Ground Plug-in High Power Floodlight String


Hoop Type High Power Floodlight String

Clip-on High Power Floodlight String

### LED Underwater Lights

Control Method: ON/OFF, SPI, DMX512, RDM

LED Color: Single Color, Double Color, RGB, RGBW



Fountain Lights

Underwater Wall Lights

### LED Underground Lights

Control Method: ON/OFF, SPI, DMX512, RDM


LED Color: Single Color, Double Color, RGB, RGBW



### LED Underground Floodlights

Control Method: ON/OFF, DMX512, RDM

LED Color: Single Color, Double Color, RGB, RGBW



### LED Step Lights

Control Method: ON/OFF, SPI, DMX512, RDM

LED Color: Single Color, Double Color, RGB, RGBW



### LED Wall Lights

Control Method: ON/OFF

LED Color: Single Color

### LED Lawn Lights

Control Method: ON/OFF


LED Color: Single Color



### 3D Printed Garden Lights

Control Method: ON/OFF

LED Color: Single Color



### 3D Printed Lawn Lights

Control Method: ON/OFF LED Color: Single Color



### 3D Printed Wall Lights

Control Method: ON/OFF LED Color: Single Color



### 3D Printed Capital Lights

Control Method: ON/OFF LED Color: Single Color



### 3D Printed Creative Outdoor Lights

Control Method: ON/OFF, SPI, DMX512 LED Color: Single Color, Double Color, RGB, RGBW



### 3D Printed Lantern

Control Method: ON/OFF LED Color: Single Color



### LED Sculptural Lights

Control Method: ON/OFF, SPI LED Color: RGB



### 3D Printed Creative Lights

Control Method: ON/OFF, SPI LED Color: Single Color, RGB

#### The Theme of Nature



#### The Theme of Christmas



#### The Theme of Food



#### The Theme of Classical Style



#### The Theme of Romantic

#### The Theme of Digital Technology



#### The Theme of Emoticon

Customization for others .....

### 3D Printed Creative Light Sculpture

Control Method: ON/OFF - SPI LED Color: Single Color - RGB



Peacock Spreads Its Tail



Dragon Dance




Fish Leaps Over Dragon Gate



Romantic Concentric Chair



Every Year There Is Surplus Wealth and Food



Phoenix Birds in a Divine



Wave Light Ripple



The Time Tunnel

### Intelligent City Management Cloud Platform


City Brain




Intelligent Cockpit



Mobile APP




Intelligent lighting



Intelligent Strong Power



Intelligent Security



Intelligent Pole



Smart Interactive



Smart Cultural Tourism

### Interactive Control System




Smart Lighting Runway Interactive Control System




Somatosensory Interactive Control System



Shake and Voice Interactive Control System



Underground LED Screen Interactive Control System



Ferris wheel Rotating Control System



Smart Interactive by Mobile Phone



Bicycle Interactive Control System



LED Display Interactive Control System

### LED Controllers



Main Controller



Sub Controller



Master-Sub Controller



Mini Master-Sub Controller



Super Master Controller



Fusion Gateway



Communication and Protection Modules



Ling Long Series

### Intelligent Light Pole and Street Light Control



Intelligent Light Pole



Streetlight Control

### Heavy Current Controls



High-Power Controller



Switch Extended Module



Electrical Parameter Measurement Expansion



Pure High-Power Controller